

INDEX MAPS.

T. 26N, R. 5W. 2nd Mer.

	406		406		406		406		406		405	
407	6	421	5	418	4	416	3	413	2	410	1	405
	421		420		418		415		412		410	
407	7	420	8	417	9	415	10	412	11	409	12	404
	420		420		417		415		412		409	
407	18	420	17	417	16	414	15	411	14	409	13	404
	419		419		417		414		411		409	
407	19	419	20	417	21	414	22	411	23	408	24	404
	419		419		416		414		411		408	
407	30	418	29	416	28	414	27	411	26	408	25	404
	418		418		416		413		410		408	
407	31	418	32	416	33	413	34	410	35	408	36	404
	403		403		403		403		403		403	

T. 27N, R. 5W. 2nd Mer.

	430		429		429		429		428		428	
431	6	447	5	443	4	440	3	437	2	434	1	428
	446		445		443		440		437		434	
431	7	445	8	442	9	440	10	437	11	433	12	427
	445		445		442		439		437		433	
430	18	445	17	442	16	439	15	436	14	433	13	427
	445		444		442		439		436		433	
430	19	444	20	442	21	439	22	436	23	432	24	427
	444		444		441		439		435		432	
430	30	444	29	441	28	438	27	435	26	432	25	427
	444		443		441		438		435		431	
430	31	443	32	441	33	438	34	434	35	431	36	426
	426		426		426		425		425		425	

The figures on the lines refer to the page.

425

Township N. 27 North, Range N. 5 West S. Mer. Ind. a.

Township Line.

Ch. 20. South Boundary. Var. 5° 50' E.

Bearings at cor. of T. 26 & 27 N, R. 4 & 5 W

a W. Oak 20 in. dia. bears S 51° W 121 ft. dist. 2

a Do 20 " " " S 74° E 164 " " 7

a Do 24 " " " N 61° E 375 " " 5

West on the S. Boundary of Sec. 36

14.79 a B. Jack 12 in. dia.

40.00 tot of sec. part from which

a B. Oak 15 in. dia. bears N 77° W 100 ft. dist. 8

a Hickory 11 " " " S 24° E 69 " " 5

51.60 a B. Oak 18 " " 5

62.28 a B. Jack 12 " " 5

80.00 tot part cor. of sec. 35 & 36 from which

a W. Oak 30 in. dia. bears N 58° E 22 ft. dist. 8

a B. Jack 12 " " " N 47° W 30 " " 5

Land level 2^d rate, timber Oak & Hickory —
Upr. Stool grub

West on the S. Boundary of Sec. 35

23.64 a W. Oak 18 in. dia.

31.00 a Do 10 " " 5

40.00 tot of sec. part from which

a B. Oak 15 in. dia. bears N 21° W 201 ft. dist. 8

a W. Oak 14 " " " N 23° W 199 " " 5

46.05 a Do 18 " " 5

88.00 tot part cor. of sec. 34 & 35 from which

a B. Oak 18 in. dia. bears S 29° E 15 ft. dist. 8

a Do 24 " " " N 4° E 11 " " 5

Land 3^d rate, timber Oak

15 West on the S. Boundary of Sec. 34

2^d 15.90 a W. Oak 5 in. dia.

40.00 tot of sec. part from which

a B. Jack 18 in. dia. bears N 69° E 51 ft. dist. 8

a Do 16 " " " S 66° E 53 " " 5

26.15

T. 27 N., R. 5 W. 2. Mer. Ind.?

Chp. Chp.

43.50 enter Prairie

80.00 set post in Mound cr. of sec. 33 & 34

Land in timber as before noted, Prairie level & wet

West on the S. Boundary of Sec. 33

40.00 set g. sec. post in Mound

80.00 set post in Mound cr. of sec. 32 & 33

Land level & wet

West on the S. Boundary of Sec. 32

40.00 set g. sec. post in Mound

51.25 a Stream 20 lbs. wide course NE

80.00 set post in Mound cr. of sec. 31 & 32

Land as before noted

West on the S. Boundary of Sec. 31

40.00 set g. sec. post in Mound

73.73 Intersect W. Boundary 250 lbs. N. of temp. post -
set post cr. of T. 26 & 27 N., R. 5 & 6 W. in Mound
Land wet 2. rate

East Boundary, Var. 5° 50' E.

North on the E. Boundary of Sec. 36

19.63 a W. Oak 12 in. dia.

30.00 enter Swamp Prairie

40.00 set g. sec. post in Prairie from which

an Aspen 6 in. dia. bears S 15° W 63 lbs. dist. 2

a Do 7 " " " S 32° W 57 " "

61.00 leave Swamp Prairie

63.19 a W. Oak 10 in. dia.

65.75 enter Marsh Prairie

80.00 set post cr. of sec. 25 & 36 from which

a B. Jack 12 in. dia. bears N 2° E 429 lbs. dist. 2

a Do 12 " " " N 3 1/2° E 441 " "

Land except Swamp 3rd rate Oak ridge

T. 27 N., R. 5 W. 2. Mer. Ind. a

Chr. 24?

North on the E. Boundary of Sec. 25

20.00 enter Marsh Prairie

40.00 set of sec. post (from which no Bearings)
in Marsh, water too deep to raise a Mound

65.08 leave Marsh

80.00 set post cor. of sec. 24 & 25 from which

a B. Oak 14 in. diameter S 4 E 19 W. dist. 8

a W. Oak 16 " " " N 10 W 31 " "

Land chiefly Marsh, timbered land 3^d rate
Oak ridge

North on the E. Boundary of Sec. 24

13.31 a W. Oak 20 in. dia.

28.29 a Do 24 " "

40.00 set of sec. post from which

a B. Jack 10 in. diameter S 3 E 41 W. dist. 8

a Do 12 " " " S 77 E 44 " "

46.75 enter wet Prairie

65.50 leave " "

67.68 a Hickory 12 in. dia.

80.00 set post cor. of sec. 13 & 24 from which

a B. Jack 20 in. diameter S 4 W 6 W. dist. 8

a Do 15 " " " S 61 E 69 " "

Land except Marsh 3^d rate Oak ridge

North on the E. Boundary of Sec. 13

2.64 enter Marsh Prairie

40.00 set of sec. post in Marsh, water too deep to raise
a Mound80.00 set post in Marsh cor. of sec. 12 & 13, water
too deep to raise a Mound

Land all Marsh

North on the E. Boundary of Sec. 12

35.00 leave Marsh

39.00 enter "

T. 27 N., R. 5 W., S. 2 Mer. Ind. a

Chs. Chs.

40.00 set of sec. post from which

a B. Oak 18 in. dia. bears S 77° W 142 Ms. dist. 8

a Do 18 " " " S 119° W 170 " "

The q. sec. post stands in Marsh

80.00 set post in Marsh cen. of sec. 1 & 2,

water too deep to raise a Mound

Land chiefly Marsh

North on the E. Boundary of Sec. 1

40.00 set of sec. post in Marsh from which

a B. Oak 10 in. dia. bears N 10° E 10.06 Chs. dist. 8

a Do 10 " " " North 10.16 " "

49.75 leave Marsh

62.82 a W. Oak 24 in. dia.

74.12 a Do 20 " "

74.72 to post cen. of T. 27 N., R. 4 & 5 W. from which

a B. Oak 20 in. dia. bears S 11° W 18 Ms. dist. 8

a Do 16 " " " S 70° W 28 " "

Land marshy 3^d rate, timber Oak, no Upr.

October 28, 1831

North Boundary. Van. 5° 50' E.

West on the S. Boundary of Sec. 36, T. 28 N., R. 5 W

24.48 a W. Oak 18 in. dia.

46.00 set of sec. post from which

a W. Oak 21 in. dia. bears N 34° W 102 Ms. dist. 8

a Hickory 10 " " " N 77° W 106 " "

48.80 a W. Oak 20 " "

65.00 enter wet Prairie

80.00 set post cen. of sec. 35 & 36 in edge of Prairie from

which a W. Oak 14 in. dia. bears S 26° E 57 Ms. dist. 8

a Do 13 " " " S 46° W 100 " "

Land rolling 2^d rate, timber Oak & Upr.
Sapapap &c.

West on the S. Boundary of Sec. 35, T. 28 N., R. 5 W

429

T. 27 N., R. 5 W. 2 Mer. Ind. a.
Ch. Sp.

19.82 a W. Oak 18 in. dia.
21.75 enter wet Prairie
40.00 set of sec. post in Mound
60.25 leave Prairie
64.34 a B. Oak 33 in. dia.
80.00 set post cor. of sec. 34 & 35 from which
a B. Oak 18 in. dia. bears S 89° W 15 lbs. dist 8
a Do 20 " " " S 11° W 105 " "

West on the S. Boundary of Sec. 34, T. 28 N., R. 5 W
38.50 a B. Oak 14 in. dia.
40.00 set of sec. post from which
a B. Jack 21 in. dia. bears S 39° W 35 lbs. dist 8
a Do 20 " " " N 46° W 31 " "
47.75 enter marshy Prairie
80.00 set post cor. of sec. 33 & 34 in Marsh, water
too deep to raise a Mound.
Except Marsh land as before noted

West on the S. Boundary of Sec. 33, T. 28 N., R. 5 W
15.00 leave Prairie
21.00 a B. Oak 20 in. dia.
30.75 enter Marsh
40.00 set of sec. post in Marsh from which
a B. Oak 18 in. dia. bears West 79° W. dist 8
a Do 24 " " " N 21° W 700 " "
43.00 leave Marsh
47.90 a B. Oak 18 in. dia.
50.09 enter dry Prairie
80.00 set post cor. of sec. 32 & 33 in Mound
Timbered land as before noted, dry
Prairie T. rated. October 29. 1831
Surveyed by David Hollis
Dep. Surveyor.

West on the S. Boundary of Sec. 32, T. 28 N., R. 5 W

T. 27 N., R. 5 W. 2^d Mer. Ind^o

Chas. Cro?

40.00 set q. sec. post & raised a Mound

80.00 set post cor. of sec. 31 & 32 & raised a Mound
Land gently rolling & 2^d rate dry Prairie, sandy,
wet in places & stony

West on the S. Boundary of Sec. 31, T. 28 N., R. 5 W

40.00 set q. sec. post & raised a Mound

74.50 Intersect N. Boundary 135 th. N. of temp. Towns. cor.
set post cor. of T. 27 & 28 N., R. 5 & 6 W. & raised Mound
Land same as last notedApril 7. 1834. Var. 5° 50' E. Surveyed by
Sylvester Sibley
Dep. Surveyor.

West Boundary. Var. 6° 10' E.

North on the E. Boundary of Sec. 36, T. 27 N., R. 6 W

40.00 set q. sec. post in Mound

80.00 set post in Mound cor. of sec. 25 & 36
Land dry 2^d rate Prairie

North on the E. Boundary of Sec. 25, T. 27 N., R. 6 W

40.00 set q. sec. post in Mound

80.00 set post in Mound cor. of sec. 24 & 25
Land as before noted

North on the E. Boundary of Sec. 24, T. 27 N., R. 6 W

40.00 set q. sec. post in Mound

80.00 set post in Mound cor. of sec. 13 & 24
Land as before noted

North on the E. Boundary of Sec. 13, T. 27 N., R. 6 W

40.00 set q. sec. post in Mound

80.00 set post in Mound cor. of sec. 12 & 13

Prairie dry & rocky 2^d rate. Nov. 10. 1828

Surveyed by David Hillis, Dep. Surveyor.

T. 27 N., R. 5 W. 2^d Mer. Ind.

Chr. Sec.

North on the E. Boundary of Sec. 12, T. 27 N., R. 6 W.

40.00 set gr. sec. post & raised a Mound

80.00 set post cor. of sec. 1 & 12 & raised a Mound

Land gently rolling & 2^d rate dry Prairie sandy
& some stony.

North on the E. Boundary of Sec. 1, T. 27 N., R. 6 W.

40.00 set gr. sec. post & raised a Mound

80.00 set temp. Township corner.

Land same as last noted.

April 7. 1834. Var. 6th 10. E.

Surveyed by

Sylvester Sibley

Dep. Surveyor.

Subdivision. Var. 5th 50. E.

North between Sec. 35 & 36, T. 27 N., R. 5 W.

1.50 Enter wet prairie

22.50 Scattering Oak timber

25.50 Wet prairie

29.75 Enter Marsh in prairie

40.00 Set gr. Sec. post in Marsh water too deep for
to raise mound

63.50 Leave marsh

63.78 a W. Oak 2 in. dia.

80.00 Set post cor. to Sec. 25, 26, 35, 36. from which
a B. Jack 18 in. dia. bears N 16 $\frac{1}{2}$ W 178 lbs. dist. &
" Do 12 " " " N 15 $\frac{1}{2}$ W 183 " "
Land 3^d rate Oak timber no Agr.

East on Random Between Sec. 25 & 36

30.75 Enter Marsh

40.00 Set temp. gr. Sec. post

80.00 Intersect E. Boundary 21 lbs. ch. of post
Land as before

West Connected Between Sec. 25 & 36

T. 27 N., R. 5 W. 2. Mer. Ind.?

Obs. Lhs.

40.00 Set gr. Sec. post at area. dist. water too deep for mound
80.00 Sec. Cor.

North Between Secs. 25 & 26

3.75 Enter Marsh

27.60 Leave "

35.14 a B. Oak 21 in. dia.

40.00 Set gr. Sec. post from which
a B. Jack 11 in. dia. bears S 64 E 12 lbs. dist. &
a Do 13 " " " N 79 W 4 " "

69.98 a W. Oak 12 " "

80.00 Set post cor. to Secs. 23, 24, 25, 26 from which
a W. Oak 12 in. dia. bears S 46 E 188 lbs. dist. &
a Do 16 " " " S 9 E 169 " "
Land wet Marsh 3rd rate timber B. Jack B. W. Oak
No Ugs.

East on Random Between Secs. 24 & 25

31.15 Enter wet prairie

40.00 Set temp. gr. Sec. post

52.75 Leave prairie

80.06 Intersected E. Boundary at post

Land prairie level wet 2nd rate timber as before

West Corrected Between Secs. 24 & 25

40.03 Set gr. Sec. post at area. dist. in mound

80.06 Sec. Cor.

North Between Secs. 23 & 24

22.21 a W. Oak 16 in. dia.

40.00 Set gr. Sec. post from which

a B. Jack 10 in. dia. bears S 2 W 2 lbs. dist. &
a W. Oak 16 " " " N 3 W 4 " "

42.72 Enter Marsh

80.00 Set post cor. to Secs. 13, 14, 23, 24 in Marsh water too deep
for mound.

T. 27 N., R. 5 W. 2^d Mer. Ind.^a

W. Sec.

Land 3rd rate wet timber B. Jack W. Oak

East on Random Between Secs. 13 & 24

40.00 Set temp. gr. Sec. post

42.00 Leave Marsh

80.00 Intersected E. Boundary 9th cor. of post
Land same as before

West Corrected Between Secs. 13 & 24

40.00 Set gr. Sec. post at aver. dist. from which
a W. Oak 18 in. dia. bears S 41 E 31 1/2 lbs. dist. &
a Do 20 " " " N 72 E 32 1/2 " "

80.00 Sec. Cor.

North Between Secs. 13 & 14

40.00 Set gr. Sec. post in marsh water too deep to
raise a mound

45.00 Leave Marsh

51.31 a B. Oak 19 in. dia.

52.00 a Marsh

80.00 Set post in marsh cor. to Secs. 11, 12, 13, 14. from
a B. Jack 12 in. dia. bears S 24 W 3.50 lbs. dist. &
a Do 11 " " " S 25 E 3.51 " "
Land same as before

East on Random Between Secs. 12 & 13

40.00 Set temp. gr. Sec. post

80.03 Intersect N. & S. line at post
Land a Marsh

West Corrected Between Secs. 12 & 13

40.01 1/2 Set gr. Sec. post at aver. dist. water too deep for a
mound

80.03 Sec. Cor.

North Between Secs. 11 & 12

T. 27 N., R. 5 W. 2. Mer. Ind.?

21.60 Leave Marsh

34.42 " W. Oak 16

39.00 Enter Marsh

40.00 Set gr. Sec. post from which

" W. Oak 12 in. dia. bears S 14 E 250 lks. dist. &c

" Dr 14 " " " S 11 E 265 " "

80.00 Set post cor. to Sec. 1. 2. 11. 12 water too deep to raise
" mound

Land except Marsh 3 rate timber Oak no Ugr.

East on Random Between Sec. 18 & 12

40.00 Set temp. gr. Sec. post

65.00 " Small round Oak Grove

71.70 Enter Marsh

80.00 Intersect E. Boundary 4 lks. et. of post

Land as before except grove

West Connected Between Sec. 18 & 12

40.00 Set gr. Sec. post at area. dist. water too deep for
to raise mound

80.00 Sec. Cor.

North Between Sec. 18 & 2

40.00 Set gr. Sec. post in Marsh water too deep to raise
" mound

52.25 Leave Marsh

52.35 " W. Oak 10 in. dia.

68.08 " Dr 21 " "

79.68 Intersected et. Boundary 12 lks. W. of post

Set post cor. to Sec. 18 & 2 from which

" W. Oak 13 in. dia. bears S 41 W 94 lks. dist. &c

" Dr 14 " " " S 38 E 58 " "

Land except Marsh 2 rate W. B. Oak 9 a/2
rup Ugr. November 5th 1831

North Between Sec. 34 & 35

T. 27 N., R. 5 W. 2^d Mer. Ind^a
 Quo. Quo.

13.00 " B. Oak 12 in. dia.

40.00 Set gr. Sec. post from which

" B. Oak 21 in. dia. bears N 41 E 325 lks. dist. &

" Do 20 " " " N 22 E 228 " "

45.75 Enter Wet prairie

62.00 Leave " "

65.04 " B. Oak 19 & Enter wet prairie

80.00 Set post in mound cor. to Secs 26 27 34 35

Land mostly wet

East on Random Between Secs 26 & 35

40.00 Set temp. gr. Sec. post

70.00 Leave prairie

80.00 Intersect N & S. line 5 lks. E. of post

Land level wet 2^d rate

West Corrected Between Secs 26 & 35

40.00 Set gr. Sec. post in mound

80.00 Sec. Cor.

North Between Secs 26 & 27

24.75 Leave prairie

30.00 " B. Oak 20 in. dia.

30.75 Enter wet prairie

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Secs 23, 23, 26 & 27 from which

" W. Oak 20 in. dia. bears S 84 E 221 lks. dist. &

" B. Jack 6 " " " N 65 E 183 " "

Land prairie low and wet 2^d rate timberland

3^d rate timber Oak &c

East on Random Between Secs 23 & 26

39.00 Leave prairie

40.00 Set temp. gr. Sec. post

79.94 Intersect N & S. line 11 lks. E. of post

Land prairie wet 3^d rate timber Oak

qms. 2110. T. 27 N., R. 5 W. 2^d Mer. Ind.?

West Corrected Between Secs. 23 & 26

39.97 Set gr. Sec. post at aver. dist. from which
 " B. Jack Oak 24 in. dia. bears N 42 $\frac{1}{2}$ W 67 lbs. dist. &
 " Do 6 " " " N 46 E 52 " "

79.94 Sec. Cor.

North Between Secs. 22 & 23

40.00 Set gr. Sec. post in mound

67.00 Leave prairie

68.60 " B. Oak 24 in. dia

80.00 Set post ev. to Secs. 14, 15, 22, 23 from which

" B. Oak 24 in. dia. bears N 2 W 510 lbs. dist. &

" Do 24 " " " N 3 W 482 " "

Land prairie rich timber land 3^d rate Oak
 timber no Agr.

East on Random Between Secs. 14 & 23

20.00 Enter marsh prairie

40.00 Set temp. gr. Sec. post

80.04 Intersected at 6th S. line 6 lbs. N. of post

Land and timber same as before Marsh covered
 with water

West Corrected Between Secs. 14 & 23

40.02 Set gr. Sec. post in marsh at aver. dist. water too
 deep for mound

80.04 Sec. Cor.

North Between Secs. 14 & 15

21.20 " B. Oak 18 in. dia.

33.75 Enter prairie

40.00 Set gr. Sec. post in prairie from which

" B. Oak 10 in. dia. bears N 3 W 423 lbs. dist. &

Do 6 " " " N 4 W 432 " "

80.00 Set post in mound ev. to Secs. 10, 11, 14, 15

Land 3^d rate Oak timber prairie net 2^d rate

T. 27 N., R. 5 W. 2. Mer. Ind.^a

Wm. Gho.

East on Random Between Sec. 11 & 14

40.00 Set temp. gr. Sec. post

51.00 Enter marsh prairie

80.03 Intersected N & S line 7 Mts. N. of post

Land prairie Marsh covered with water

West Corrected Between Sec. 11 & 14

40.01½ Set gr. Sec. post in mound at aver. dist.

80.03 Sec. Cor.

North Between Sec. 10 & 17

40.00 Set gr. Sec. post in mound

63.75 Enter marsh in prairie

80.00 Set post cor. to Sec. 2, 3, 10, 11 in the marsh water too deep to raise mound

Land except marsh dry prairie 2 rate

East on Random Between Sec. 2 & 11

40.00 Set temp. gr. Sec. post in the marsh

80.00 Intersect N & S line 9 Mts. N. of post

Land a Marsh

West Corrected Between Sec. 2 & 11

40.00 Set gr. Sec. post in the marsh water too deep for a mound

80.00 Sec. Cor.

November 6th 1831

North Between Sec. 2 & 3

23.00 Leave Marsh & prairie

25.25 " B. Oak 6 in. dia.

40.00 Set gr. Sec. post from which

" B. Oak 18 in. dia. bears 936 E 158 Mts. dist. &

" Dr 20 " " " 941 E 160 " "

60.26 " Dr 26 " "

76.32 " B. Oak 12 " "

79.69 Intersect N. Boundary 13 Mts. N. of post

438

T. 27 N., R. 5 W. 2^d Mer. Ind.^a

Apr. 21st

Get post cor. to Sec. 28 & 3 from which
 a B. Oak 12 in. dia. bears S 9 E 79 lbs. dist. &
 a Do 16 " " " N 21 W 109 " "
 Land 2^d rate Oak Ridge

North Between Sec. 33 & 34

40.00 Get gr. Sec. post in ellound
 80.00 Get post in ellound cor. to Sec. 27, 28, 33, 34
 Land dry 1st rate prairie

East on Random Between Sec. 27 & 34

36.00 Leave prairie
 40.00 Get temp. gr. Sec. post
 80.00 Intersected ev & G. line at post
 Prairie same as before timber Oak ev & G.

West Corrected Between Sec. 27 & 34

40.00 Get gr. Sec. post at aver. dist. from which
 a W. Oak 6 in. dia. bears North 6 lbs. dist. &
 a B. Oak 16 " " " N 31 W 16 " "
 80.00 Sec. Cor.

North Between Sec. 27 & 28

25.00 Leave Prairie
 36.08 a B. Oak 18 in. dia.
 37.50 Enter wet prairie
 40.00 Get gr. Sec. post from which
 a B. Oak 18 in. dia. bears South 388 lbs. dist. &
 a Do 15 " " " S 4 W 348 " "
 76.00 Leave prairie
 77.51 a B. Oak 24 in. dia.
 79.00 Enter dry prairie
 80.00 Get post cor. to Sec. 21, 22, 27, 28 from which
 a W. Oak 20 in. dia. bears S 41 W 186 lbs. dist. &
 a B. Oak 15 " " " S 7 E 176 " "
 Prairie rich land 3^d rate Scrub Oak &c

T. 27 N., R. 5 W. 2. Mer. Ind.^a

W. 27 N.

East on Random Between Secs. 22 & 27

28.00 Leave prairie

40.00 Set temp. gr. Sec. post

46.00 Enter wet prairie

80.00 Intersect N & S. line 16 lbs. N. of post
Land same as before

West Corrected Between Secs. 22 & 27

40.00 Set gr. Sec. post at wren dist. from which
" W. Oak 27 in. dia. has N 58 E 26 lbs. dist. &
" Do 12 " " " N 49 E 72 " "

80.00 Sec. Cor.

North Between Secs. 21 & 22

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Secs. 15, 16, 21, 22 in mound
Land a mixture of wet & dry prairie 2^d rate

East on Random Between Secs. 15 & 22

40.00 Set temp. gr. Sec. post

51.75 Leave prairie

60.00 Enter "

80.02 Intersect N & S. line 6 lbs. N. of post
Land prairie same as before humbald 3^d rate
Oak timber no N y.

West Corrected Between Secs. 15 & 22

40.01 Set gr. Sec. post in mound at wren dist.

80.02 Sec. Cor.

North Between Secs. 15 & 16

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Secs. 9, 10, 15, 16 in mound
Prairie same as before

East on Random Between Secs. 10 & 15

440

T. 27 N., R. 5 W. 2^d Mer. Ind^d

On. Sh.

40.00 Set temp. gr. Sec. post

80.00 Intersect c&G line at post
Prairie as before

West Corrected Between Secs. 10 & 13

40.00 Set gr. Sec. post at aver. dist. in mound

80.00 Sec. Cor.

North Between Secs. 9 & 10

40.00 Set gr. Sec. post in mound

63.00 Enter Marsh prairie

80.00 Set post cor. to Sec. 3, 4, 9, 10 from which
a B. Oak 24 in. dia. bears c&G 538 lbs. dist. &
Do 20 " " " c&G 567 " "
Land except Marsh as before

East on Random Between Secs. 3 & 10

40.00 Set temp. gr. Sec. post in Marsh

80.00 Intersect c&G line 10 lbs. et. of post
Prairie & Marsh

West Corrected Between Secs. 3 & 10

40.00 Set gr. Sec. post at aver. dist. in Marsh

Water too deep for mound

80.00 Sec. Cor.

November 7th 1831

North Between Secs. 3 & 4

5.00 Enter timberland

11.94 a B. Oak 12 in. dia.

40.00 Set gr. Sec. post from which

a B. Oak 18 in. dia. bears c&G 555 lbs. dist. &

Do 18 " " " c&G 575 " "

51.75 Enter wet prairie

67.00 Marsh prairie

79.76 Intersect c&G boundary 15 lbs. W. of post

Set post cor. to Sec. 3, 4 Water too deep for mound

T. 27 N., R. 5 W., S. 2. Mer. Ind. ?
 40.00

Land except prairie 3rd rate timber Oak no Ugr

North Between Secs. 32 & 33

40.00 Set gr. Sec. post in mound

60.00 Enter running sluice of water course et. 6

66.00 Leave sluice and enter dry prairie

80.00 Set post cor. to Secs. 28, 29, 32, 33 in Mound

Prairie dry 2nd rate except sluice

East on Random Between Secs. 28 & 33

40.00 Set temp. gr. Sec. post

80.00 Intersect N & S line at post

Enter sluice at 58 lbs. 75 lbs. and leave it at
 64 lbs. 35 lbs.

Land same as before

West Corrected Between Secs. 28 & 33

40.00 Set gr. Sec. post at aver. dist. in mound

80.00 Sec. Cor.

North Between Secs. 28 & 29

40.00 Set gr. Sec. post in mound

80.00 Set post in mound cor. to Secs. 20, 21, 28, 29

Land level & Wet

East on Random Between Secs. 21 & 28

40.00 Set temp. gr. Sec. post

65.00 Leave prairie

78.50 Enter "

80.00 Intersect N & S line 10 lbs. et. of post

Land low wet prairie 2nd rate

West Corrected Between Secs. 21 & 28

40.00 Set gr. Sec. post at aver. dist. in mound

80.00 Sec. Cor.

442

T. 27 N., R. 5 W. 2. Mer. Ind.?

Wm. Sho

North Between Sec. 20 & 21

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Sec. 16, 17, 20, 21 in mound

Land dry prairie 1st rate

East on Random Between Sec. 16 & 21

40.00 Set temp. gr. Sec. post

80.00 Intersect N & S line 14 lbs. N. of post

Land same as before

West Corrected Between Sec. 16 & 21

40.00 Set gr. Sec. post at aver. dist. in mound

80.00 Sec. Cor.

North Between Sec. 16 & 17

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Sec. 8, 9, 16, 17 in mound

Land same as before

East on Random Between Sec. 9 & 16

40.00 Set temp. gr. Sec. post

80.00 Intersect N & S line 12 lbs. N. of post

Land same as before

West Corrected Between Sec. 9 & 16

40.00 Set gr. Sec. post at aver. dist. in mound

80.00 Sec. Cor.

North Between Sec. 8 & 9

40.00 Set gr. Sec. post in mound

75.00 Enter grove

80.00 Set post cor. to Sec. 4, 5, 8, 9 from which

a B. Oak 28 in. dia. bears 940 E 218 lbs. dist. &

" Dr 15 " " " 970 E 25 " "

Land except grove same as before

T. 27 N., R. 5 W. 2. Mer. Ind. a.

Chas. Sh.

East on Random Between Sec. 4 & 9

31.75 Enter prairie

40.00 Set temp. gr. Sec. post

64.50 Enter Marsh

80.04 Intersected N & S line 7 Mts. N. of post

Land 2nd rate timber Oak prairie net 3rd rate

West Corrected Between Sec. 4 & 9

40.02 Set gr. Sec. post at aver. dist. in mound

80.04 Sec. Cor.

North Between Sec. 4 & 5

18.10 a B. Oak 22 in. dia.

20.00 Enter prairie

40.00 Set gr. Sec. post from which

a B. Jack Elm. dia. less 981 628 Mts. dist. =

a (No Other trees)

79.71 Intersected N. Boundary 16 Mts. W. of post

Set post cor. to Sec. 4. 5 in mound

Land in timber prairie as before

November 8th 1831

North Between Sec. 31 & 32

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Sec. 29, 30, 31, 32 in mound

Prairie 1st rate level land

East on Random Between Sec. 29 & 32

40.00 Set temp. gr. Sec. post

80.04 Intersect N & S line 9 Mts. N. of post

Land as before

West Corrected Between Sec. 29 & 32

40.02 Set gr. Sec. post in mound at aver. dist.

80.04 Sec. Cor.

T. 27 N., R. 5 W. 2. Mer. Ind.

W. 8th

West Between Secs. 30 & 31

40.00 Set gr. Sec. post in mound

73.76 Intersect W. Boundary 47 lbs. S. of post

Set post cor. to Secs. 30 & 31 in mound

Land as before

North Between Secs. 29 & 30

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Secs. 19, 20, 29, 30 in mound

Land dry and N. rate

East on Random Between Secs. 20 & 29

40.00 Set temp. gr. Sec. post

80.00 Intersect N & S. line at post

Prairie some wet

West Corrected Between Secs. 20 & 29

40.00 Set gr. Sec. post at aver. dist. in mound

80.00 Sec. Cor.

West Between Secs. 19 & 30

40.00 Set gr. Sec. post in mound

73.81 Intersect W. Boundary 44 lbs. S. of post

Set post cor. to Sec. 19, 30 in mound

Land same as before

North Between Secs. 19 & 20

40.00 Set gr. Sec. post in mound

80.00 Set post cor. to Secs. 17, 18, 19, 20 in mound

Land as before

East on Random Between Secs. 17 & 20

40.00 Set temp. gr. Sec. post

80.03 Intersect N & S. line 11 lbs. E. of post

Land dry 2^d rate

T. 27 N., R. 5 W. 2. Mer. Ind.?

Obs. Ghs.

West Corrected Between Secs. 17 & 20

40.01 $\frac{1}{2}$ Set gr. Sec. post at aver. dist. in Mound
 80.03 Sec. Cor.

West Between Secs. 18 & 19

40.00 Set gr. Sec. post in Mound
 73.85 Intersect W. Boundary 45 lks. S. of post
 Set post cor. to Sec. 18 & 19 in Mound
 Land same as before

North Between Secs. 17 & 18

40.00 Set gr. Sec. post in Mound
 80.00 Set post cor. to Sec. 7, 8, 17, 18 in Mound
 Land rocky prairie 3rd rate

East on Random Between Secs. 8 & 17

40.00 Set temp. gr. Sec. post
 80.00 Intersect N. & S. line 7 lks. N. of post
 Land same as before

West Corrected Between Secs. 8 & 17

40.00 Set gr. Sec. post at aver. dist. in Mound
 80.00 Sec. Cor. November 9th 1831

West Between Secs. 7 & 18

40.00 Set gr. Sec. post in Mound
 73.79 Intersect W. Boundary 43 lks. S. of post
 80.00 Set post in Mound cor. to Sec. 7 & 18
 Land same as before

North Between Secs. 7 & 8

40.00 Set gr. Sec. post in Mound
 80.00 Set post cor. to Secs. 5, 6, 7, 8 in Mound
 Land same as before

East on Random Between Secs. 5 & 8

T. 27 N., R. 5 W. 2. Mer. Ind.?

Chs. Sh.

34.00 Leave prairie

40.00 Set temp. gr. Sec. post

80.00 Intersect N. & S. line 10 lbs. N. of post

Land prairie 2^d rate timberland 3^d rate B. W
Oak Myr. Oak Sassafras &c

West Corrected Between Sec. 5 & 8

40.00 Set gr. Sec. post at aver. dist. from which
a B. Oak 27 in. dia. bears N 80 W 35 lbs. dist. &

" Do 27 " " " S 3 W 42 " "

80.00 Sec. Cor. November 10th 1831

In pursuance of a contract with, and in-
structions from Mr. T. Williams, Surveyor Gen-
eral W. S. (bearing date the 6th day of Oct. 1831)
I have laid out, surveyed and subdivided into
sections, Township N. 26 North, in Range N.
5 West, in Indiana; and I certify that the
foregoing are the true and original field notes
of the said survey and subdivision.

Certified this 2^d day of January 1832
David Willis

Dep. Surveyor

Henry Jackson } Chainmen

Samuel G. Welch }

James Lindley, Marker

West between Sec. 6 & 7 (Round) Var. 5. 36. E

Commencing in Grand Prairie at Mound
corner of Sec. 5, 6, 7 & 18. thence

71.98 Intersect W. Boundary 135 lbs. N. of post -

Land from 1 to 25 Chs. 1st rate gently rollingPrairie - from 25 Chs. to post 2^d rate level, rather
wet. Grass Sedge, Wire, Dock &c

East Corrected between Sec. 6 & 7 - Var. 4. 35. E.

447

T. 27 N., R. 5 W. 2^d Mer. Ind.^a
Ch. 2^d.

31.98 set of sec. post and raised a Mound
71.98 to sec. cor.

North between Sect. 5 & 6

40.00 set of sec. post & raised a Mound

82.62 Intersect N. Boundary 266th. W. of post -
set post at intersection cor. of sec. 5 & 6 & raised
a Mound.

Land gently rolling rich 2^d rate Prairie,
rather wet. Grap Sedge, Wier, Dock &c.
August 22, 1834

I hereby certify, that in pursuance of a
contract with Micajah T. Williams, Surveyor
General of the United States, for the States of
Ohio and Indiana, and the Territory of Michigan,
bearing date the 10th day of May 1834, and
in strict conformity to the laws of the United
States and the instructions of the said Surveyor
General, I have surveyed and subdivided
into sections part of Township N. 27 North
in Range N. 5 West of the 2^d Principal
Meridian, in the State of Indiana.

And I do further certify that the fore-
going are the true and original field notes
of the said survey and subdivision executed
as aforesaid.

Certified this 11th day of September 1834

Austin W. Morris

Dep. Surveyor

William J. Mofs

William Runkle

James ^{his} Shipley
mark

I certify that the foregoing transcript of
field notes of the survey of Township N. 2. E. North,
in Range N. 5 West of the 2. Principal Mer-
idian, in the State of Indiana, has been com-
pared with the original on file in this office,
and found to be correct.

Surveyor General's Office,
Cincinnati, Nov. 10, 1842

William Johnston
Sur. Genl.

Compd